

Intelligent Transportation Systems (ITS) Joint Program Office (JPO)

Connected Vehicle Reference Implementation Architecture Update

Stakeholder's Webinar November & December 2013





Road Weather CV Applications

- Enhanced Maintenance Decision Support
- Information for Maintenance and Fleet Management Systems
- Weather-Responsive Traffic Management
 - Variable Speed Limits
 - Signal Timing Optimization
- Motorist Advisories and Warnings
- Information for Freight Carriers
- Information and Routing Support for Emergency Responders





- Which of the following best describes your role in Connected Vehicles?
 - Federal Government
 - State DOT or Metropolitan Planning Organization
 - Local government
 - Car maker / OEM
 - Roadside equipment maker
 - Consultant
 - Academic
 - Other



- How familiar are you with CVRIA (check all that apply)?
 - □ Attended one of the previous webinars (V2I Safety, Traffic Signals)
 - □ Visited the CVRIA website
 - □ This is my first experience

CVRIA Update Webinars



- These webinars are meant to:
 - Familiarize attendees with the Connected Vehicle Reference Implementation Architecture (CVRIA) so that they will be equipped to provide feedback on the architecture
 - Provide an update on the development of the CVRIA
 - Review portions of the CVRIA Website
 - Discuss standardization planning and policy analysis
- Today's Speakers
 - Walt Fehr
 - Paul Pisano
 - David Binkley, Ron Ice, Tom Lusco
 - Chris Karaffa, Jim Marousek
 - Dawn LaFrance-Linden, Scott Smith

CVRIA Update Webinar #3 – Agenda

Topic	Start	End
Welcome & Background/Overview	2:00	2:10
Introduce Applications of the Day	2:10	2:15
CVRIA Applications:		
1. Weather Responsive Traffic	2:15	2:40
Management		
2. Enhanced Maintenance Decision	2:40	3:00
Support		
Interface Selection / Standardization Planning	3:00	3:15
Pertinent Policy Issues	3:15	3:30
Q&A	3:30	4:00

(All Times Eastern)

CVRIA Update Webinar – Applications to be Reviewed

Applications for Webinar	Date
V2I	Nov 6, 2013
Red Light Violation Warning	
Curve Speed Warning	
 Speed Harmonization (SPD-HARM) 	
Signal Applications	Nov 14
Intelligent Traffic Signal System	
 Emergency Vehicle Priority 	
 Eco-Approach and Departure 	
Road Weather	Nov 19
 Weather Responsive Traffic Management 	
 Enhanced Maintenance Decision Support 	

CVRIA Update Webinar – Applications to be Reviewed, continued

Topics	Date
Freight & Fleet Operations	Nov 26
Smart Roadside Initiative	
 Freight Advanced Traveler Information Systems (FRATIS) 	
Support Applications	Dec 3
Data Distribution	
 Communications Support 	
Core Authorization	
Transit Applications	Dec 10
 Pedestrian & Turning Vehicle Crash Warning 	
 Integrated Multi-modal Payment 	
R.E.S.C.U.M.E.	Dec 17
 Incident Scene Pre-Arrival Staging Guidance for Emergency 	
Responders	
 Incident Scene Work Zone Alerts for Drivers & Workers 	

Connected Vehicle Reference Implementation Architecture (CVRIA)

Landscape: Safety, Mobility, Environmental Applications with common supporting infrastructure

- Purpose of CVRIA is to identify a framework for integrating connected vehicle technologies and identify interfaces for standardization
- By...
 - Collecting and aggregating connected vehicle needs/requirements
 - Developing a multi-faceted system architecture
 - Identifying and prioritizing candidate interfaces for standardization
 - Conducting policy analysis around the architecture
- Near term uses Define interfaces/functions/standards to support early deployments, e.g. SE Michigan Testbed 2014
- Longer term the National ITS Architecture will incorporate CVRIA to support use of connected vehicle in
 - regional ITS architectures/plans
 - future transportation projects
- So, we need your help:
 - Are we capturing the connected vehicle applications adequately?
 - Are we including all of the necessary interfaces?
 - We'll show you how to provide feedback via the website?





- •With what area of the connected vehicle program are you or your stakeholders primarily interested?
 - Safety
 - Mobility
 - Environment
 - Support





- This site uses Scalable Vector Graphics (SVGs) to produce diagrams that are crisp and support hyperlinks from the graphical elements to the detailed descriptions
 - Different web browsers support SVGs in different ways (some not at all).
 Try viewing the site with browsers like Firefox, Chrome, Safari for best results.
 - As an alternative to SVGs all graphics are also available Portable Network Graphics (PNG) format. You may have to click on the PNG option to see it.
- This site is still under construction, many pages are updated on a fairly regular basis. Make sure you are looking at the latest version of a web page by clicking "Refresh" or "Reload" within your browser.

Web Tour Road Map

Start here







What's the overall layout?



Architecture Viewpoints Tab



Applications Tab



Physical Tab (objects, flows, comm)

Enterprise Tab (4 phases)

Functional & Requirements
Tabs

What about standards?





What else is here?

Resources / Glossary



How do I provide feedback?

Comment on Page





Let's Begin the Tour

Go To Website

http://www.standards.its.dot.gov/DevelopmentActivities/CVReference
Or

http://www.iteris.com/cvria/index.html



- •Which of the Architecture Views presented interests you the most?
 - Communications
 - Enterprise
 - Functional
 - Physical



Uses of CVRIA

Now that you've completed the 'tour' of the website, let's talk about some ways that CVRIA can be used...

SE Michigan Test Bed 2014

- Provide platform for interoperability between vendors, operators and solution providers by developing V2I data exchanges
 - Field and Back-Office functions
- Developing Architecture Views using CVRIA:
 - Physical (What)
 - Multi-layer diagrams
 - Enterprise (Who)
 - Communications

Future Connected Vehicle Projects

- CVRIA 'Mini-Tool' allows developers to use the CVRIA Visio Drawings
- Customize physical view drawings to describe future projects using same 'language' and format
- Supports multi-layer approach
 - Layer 0 high-level objects and interconnections
 - Layer 1 project specific physical, application objects
 - Layer 2 application level (just like the application drawings on CVRIA website)

Connected Vehicle projects can be defined as collections of applications from CVRIA and use the same 'language', interfaces, standards

CVRIA Next Steps

- November / December
 - Gathering feedback from webinars and website
 - Incorporate inputs
 - Update tools
- Ongoing
 - Maintain CVRIA
- **2**014 / 2015
 - Monitor usage in Test Beds, Demos, Early Deployments
 - Updating architecture, tools as needed
 - Merge / Incorporate CVRIA into Nat'l ITS Arch

Intelligent Transportation Systems (ITS) Joint Program Office (JPO)

Connected Vehicle Reference Implementation Architecture:

Standards Development Strategy and Plan



CVRIA and Standards

The USDOT's Intelligent Transportation Systems (ITS) Joint Program Office (JPO) is developing a standards plan to guide ITS standards-related efforts and activities in support of the USDOT ITS connected vehicle research program, and to support broad deployment of connected vehicle (CV) technologies

This plan will be a living document that will evolve as ITS technologies, implementation strategies, and policies develop

The plan will help the USDOT bridge the "standards gap"

Adopt


- Lower effort, cost
- Quicker implementation
- Modify interface to meet the standard

Adapt •

- Increased effort, cost
- Extended implementation
- Adapt standard to the extent possible, adapt interface as necessary


Create

- Greatest effort, cost
- Longest implementation
- Get it "just the way you like it"



Standards Plan Approach

Once interfaces are identified and defined, they must be prioritized and associated with standards, which will then be prioritized



Using Prioritization

- Scoring process and criteria are not absolute
- They are one factor, among many, in determining how to allocate resources to support standardization activities



They may be adapted to evolving goals and objectives

Next Steps

Currently

 The CVRIA viewpoints/database are being analyzed now to identify and define interfaces within the architecture.

Feedback

 Feedback on applications or other aspects of the architecture will help us to refine: interface identification and definition; scoring; interpreting results.

Second Public Workshop

- Presentation of findings and results of interface and standards prioritization
- First opportunity to share results of the interface and standards analyses
- Tentatively planned for the San Francisco Bay Area, February 19-20, 2014



- •Are these views clear and stable enough to start interface analysis for standards?
 - o Yes
 - o No
 - Unsure

Intelligent Transportation Systems (ITS) Joint Program Office (JPO)


Connected Vehicle Reference Implementation Architecture and Connected Vehicle Policy

Dawn LaFrance-Linden
USDOT / Research and Innovative Technology Administration /
Volpe National Transportation Systems Center
November 2013

When we say "Policy"... Issue Areas Include

•	Certificationwhat certification is required?
•	Communicationswhat technologies are preferred?
•	Credentialingwho has access to CV systems?
•	Data governancewho may access the data?
•	Governancewhat are the roles of the participants?
•	Intellectual Propertywhat are the risks for exposure?
•	Interoperabilityhow is data exchange handled?
•	Liabilitywho is responsible for bad outcomes?
•	Privacywhat information to protect?
•	Resiliencywhat are the failure modes?
•	Securityhow to we prevent inappropriate usage?
•	Social equityhow are benefits distributed?


Weather Responsive Traffic Management



Policy Process (1/2)


For each application:

- Identify information flows
 - Primarily from physical view
 - Some enterprise
- Look for policy issues



	▼	¥	•	Certifi₁∢ tion	Commun ⁷ ations	Creden √aling	DataGov ← nance	Gover ← nce	II 4	Interope∢ibility	Liab∵y	Priv ∢ y	Resili ← cy	Sect √:y	Sociall uity	Pedestria n and Iurning. Vehicle Crash. Warnir
	(link to web definition) ↓Flow↓	↓From (flau arigia)	↓To (flau dertination)													PTVCW
	crossing permission	ITS Roadway Equipment	Pedestrians					-			Amy0 05				30058 0068 00780	248
	driver information	ITS Roadway Equipment	Driver					Amy0 01		Amy0 02	Amy0 02					245
1	driver updates	Vehicle OBE	Driver	Tim0 01	Tim0 02			-		Amy0 03	Amy0 03					240
	host vehicle status	Vehicle Platform	Vehicle OBE	Tim0 01	Tim0 02			-			-		Andy 013	Tim0 04		239
		Map Update System	Roadside Equipment	Tim0 01	Tim0 02						Amy0 05					243
1	intersection geometry	Map Update System	Vehicle OBE	Tim0 01	Tim0 02						Amy0 03 Amy0					242
1		Roadside Equipment	Vehicle OBE	Tim0 01	Tim0 02						Amy0 03 Amv0					249
i	ntersection infringement info	Vehicle OBE	Roadside Equipment					Amy0 31		Amy0 03	Amy0 02 Amv0					241
	intersection safety application info	Traffic Management Center	Roadside Equipment	Tim0 01	Tim0 02			-								796
J	intersection safety application status	Roadside Equipment	Traffic Management	Tim0 01	Tim0 02			Amy0 07								798
	intersection safety warning	Roadside Equipment	Vehicle OBE					-		Amy0 03	Amy0 03					250
I	la cattan data	RSE Location Data Source	Roadside Equipment	Tim0 01	Tim0 02			Amy0 01			Amy0 05			Tim0 04		799
ı	location data	Vehicle Location Data Source	Vehicle OBE	Tim0 01	Tim0 02			Amy0 04	AmyQ 2		Amy0 05		Andy 008	Tim0 04		238
ı	pedestrian crossing status	ITS Roadway Equipment	Roadside Equipment	Tim00	Tim00:	2					Amy0 03 Amv0				20058 0068 00750	247
1	pedestrian detection	Pedestrians	ITS Roadway Equipment												00780 80058 0068 00780	255
Ī	pedestrian location information	Roadside Equipment	ITS Roadway Equipment	Tim0 01	Tim0 02										\$005\$ 006\$ 007\$0	251
tfc	pedestrian safety information	Roadside Equipment	Personal Information	Tim0 01 \$002	Tim0 02						Amy0 03 Amu0				\$005\$ 006\$ 007\$0	252
Ī	pedestrian safety warning control	Traffic Management Center	ITS Roadway Equipment								Amy0 03 Amy0					244
ior	pedestrian safety warning status	ITS Roadway Equipment	Traffic Management								- HIVU					246
Ì	personal location	Personal Information Device	Roadside Equipment	Tim0 01 \$002	Tim0 02			Amy0 31			Amy0 10				30053 0063	253
	personal updates	Personal Information Device	Pedestrians	8002				Amy0 33			Amy0 34				00780 80058 0068 00780	254
Ī	signal phase and timing	ITS Roadway Equipment	Roadside Equipment	Tim0 01	Tim0 02										30130	797

Policy Process (2/2)




Sprea	PO ▼	PolicyArea 🔻	IssueTitle 🔻	IssueSummary
A031	143	Governance	Prevailing Data Source	In cases where two or more sources provide location or other critical data, which source is s
A033	144	Governance	Pedestrian Traffic Laws	Is pedestrian required to respond to alerts and warnings?
A010	156	Liability	Liability for faulty data	Who is liable if TMC, RSE, or PID provides incorrect data to vehicles?and if vehicle OBE set
A034	167	Liability	Pedestrian Traffic Laws	Is pedestrian liable for own injuries if s/he fails to respond appropriately to alerts & warnin
T001	181	Certification	Ensure OBE or RSE Credential is valid	Anytime data is exchanged with an OBE or and RSE, the device must be trusted by the syste
T002	182	Communications	Data Exchange between RSEs, OBEs and other system objects	The choice of communication in this application is critical to its safe operation and effective
S002	196	Communications	Need for reliable real-time communications with PID for safet	For a safety application using a personal information device (PID) held by a pedestrian or bi
S005	199	Social Equity	Will the application protect all non-motorized users who have	In the definitions of the Physical Objects, "Pedestrians" are defined as follows: "Pedestria
S006	200	Social Equity	Will the application protect all types of pedestrians, including	1A person with a mobility impairment may walk exceptionally slowly, or may be using a whe
S007	201	Social Equity	Will the application protect all types of pedestrians, including	those with visual impairments?
S008	202	Social Equity	Affordability of Personal Information Devices.	Unlike the case with motor vehicles, where certain equipment can be mandated, one canno

Weather Responsive Traffic Management

Application Specific Issues	Universal Issues				
Governance: How is the correct speed determined? When is speed reduction indicated? Is compliance voluntary?	 Interoperability between roadside equipment (RSE) and onboard equipment (OBE) Communications 				
• Credentialing: How are Traffic Operations Personnel trained? What actions are they permitted with respect to this application?	 When is DSRC really needed? Security of links between external data sources (Maps and RSE) and vehicle OBE; security of links to RSE 				
Data Governance: Is data from the BSM sufficient for this application, or is additional data needed?	 Resiliency: Dependence on reliable map and roadway geometry information Social Equity 				
Liability: Does a driver bear any liability if involved in an accident caused wholly, or in part, by adhering to directions received from this application?	 Safety and mobility impacts on non-connected vehicles Safety and mobility impacts on other road users Data Governance 				
Social Equity: Are vehicles without CV at a disadvantage? Can this application work with few connected vehicles?	Privacy (movement tracking)EnforcementLiability				

Enhanced Maintenance Decision Support



Enhanced Maintenance Decision Support

Application Specific Issues	Universal Issues
 Governance: What is the role of private contractors? What rules govern their involvement? Are agreements necessary across different jurisdictions? 	 Interoperability between roadside equipment (RSE) and onboard equipment (OBE) Communications When is DSRC really needed?
■ Data Governance: Given data from multiple sources, how is data de-conflicted and verified? Are there rules governing the amount of data needed to initiate a maintenance or construction response (e.g., data from more than one vehicle).	 Security of links between external data sources (Maps and RSE) and vehicle OBE; security of links to RSE Dependence on reliable map and roadway geometry information Social Equity Safety and mobility impacts on non-
 Credentialing: How are Maintenance and Construction Personnel who interact with the application trained? What actions are they permitted with respect to this application? 	connected vehicles Safety and mobility impacts on other road users Use of data Privacy (movement tracking)
 Liability: If unnecessary maintenance or construction actions are taken based on data from this application, who is responsible? 	EnforcementLiability

Conclusion

Why perform this analysis? Government role is to:

- Encourage use of connected vehicle technologies to provide public benefit
- Discourage misuse that would create harm to the public

Tools that are available to the government:

- Resources and guidance
- Regulation and policies
 - Provide a stable environment for others to use/deploy in
 - Build public trust in the system
 - Discourage misuse



- Do you plan to visit the CVRIA website and add comments by the end of December?
 - o Yes
 - No
 - Unsure



- Do you plan to attend any subsequent CVRIA webinars? (check all that apply)
 - □ Freight and fleet operations on Tuesday 11/26
 - □ Support applications on Tuesday 12/3
 - □ Transit and non-motorized user applications on Tuesday 12/10
 - □ Public Safety on Tuesday 12/17
 - None

Intelligent Transportation Systems (ITS) Joint Program Office (JPO)

Connected Vehicle Reference Implementation Architecture Update

Q&A + Final Thoughts





- This concludes today's webinar.
- Check out the T3 site and the CVRIA website (http://www.iteris.com/cvria/) for the next webinar or to view archives of previous webinars.
- Keep those comments coming!
 - CVRIAcomments@iteris.com
- For other questions on CVRIA or the connected vehicle program:
 - □ <u>Steve.Sill@dot.gov</u> 202-366-1603
 - Walt.Fehr@dot.gov 202-366-0278



